F.T. FOURNISSEUR/FABRICANT.

Données transmises par notre fournisseur/fabricant.



CERTIFICATE OF CONFORMANCE

"MATERIALS AND ARTICLES INTENDED TO COME INTO CONTACT WITH FOOD"

Producer:

Mikopac NV, Steenweg op Turnhout, 2360 Oud-Turnhout, Belgium

Date:

19/01/2018

Applicable to:

Articles bellow, produced by Miko Pac NV defined as article intended to come into contact with food.

Food type: different types of ice cream

Conditions of use: freezing (up to -40°C) and storing at min. -18°C for several years.

Articles: Tub + Lid 5,0L NAPOLI WHITE made of Polypropylene.

Art Code	Description
90100569	TUB 5,0L NAPO PP WH CTN OWL
90100572	LID 5,0L NAPO PP WH UNLABELLED CTN
90103710	TUB 2,5L NAPO WH CTN OWS
90103720	LID 2,5L NAPO WH CTN OWS

Declaration

Miko Pac NV herewith declares that articles mentioned above ("applicable to:") are in compliance with:

- Regulation (EC) No 1935/2004 specifying the general guidelines for materials & articles intended to come into contact with food.
- Regulation (EC) No 2023/2006 specifying the Good Manufacturing Practices.
- Commission Regulation 10/2011/EC repealing Commission Directive 2002/72/EC from May 1st, 2011, and updated regulation (EU) 2016/1416.
- Council of Europe AP (89)1 specifying the requirements regarding the application of masterbatches related to materials and articles intended to come into contact with food.
- The used inks (labels in-mould-labeling) are formulated and manufactures in accordance with the EuPIA Exclusion List and the Good Manufacturing Practices as listed in EC 2023/2006. This allows compliance with the framework Regulation 1935/2004/EC on condition there is no direct food contact.

Date: 19/01/2018 Certificate of Conformance – p. 1 of 3 This means that Miko Pac NV uses only materials, additives and dyes which are suitable for food contact in conformance with Commission Regulation 10/2011/EC.

Migration is determined in accordance with:

- The European Regulation N° 1935/2004 of 27 October 2004 on materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC.
- The Royal Resolutions KB 11/05/92 art. 1 and the KB 20/09/98.
- Commission Regulation 10/2011/EC on plastic materials and articles intended to come into contact with food and amendments.

The overall migration is done with the following simulants and test conditions:

- Simulant: Ethanol 20%, contact conditions: 10days at 20°C.
- Simulant: Acetic acid 3%, contact conditions: 10days at 20°C.

Parameters	Value	Unit	Global Migration Limit
Overall migration (Ethanol 20%)	< 5,0	mg/kg	60 mg/kg
Overall migration (Acetic acid 3%)	<3,0	mg/kg	60 mg/kg

List with of substances with SML (Specific Migration Limit), according Regulation 10/2011:

Name of Monomer/Additive	PM/Ref No	CAS No	SML
Stearic Acid	24550 & 89040	0000057-11-4	25 mg/kg
(Lubricant - expressed as zinc)			

List of additives that have a double function (e.g. food additive and packaging additive), according Regulation 10/2011:

Name of Monomer/Additive	PM/Ref No or CAS Nr
Carbonic Acid, Salts	42500
Silicon Dioxide	0007631-86-9

The content of heavy metals (cadmium, lead, mercury and chrome VI) is beneath the limit of 100 ppm as specified in the European Directive 94/62/EEG and amendments 2004/12/EC and 2005/20/EC.

The product do not contain Bisphenols and their compounds (e.g. NOGE, BFDGE, BADGE).

Miko Pac NV declares that all articles are analysed and compliance is shown by migration tests, calculation and supplier documents of the raw material. All substances, with SML (Specific Migration Limit) or QM (Maximum Permitted Quantity of residual substance in the material), used for production of this packaging material, are clearly below the value of the mandatory limit listed in annex I & II of Regulation 10/2011/EC.

Date: 19/01/2018 Certificate of Conformance – p. 2 of 3

Supplementary Information

Miko Pac NV will not take responsibility for influences that can occur by the material to be packed and used by you in combination with our packaging materials. We want to draw your attention to the fact that at divergent circumstances (production process, storage, foods composition,...) additional migration tests can be required.

Although the product is intended for food contact use it is stipulated in the annex of the Commission Regulation (EC) 2023/2006 that printed surfaces shall not come into direct contact with foodstuff.

As such the responsibility of conformity with the listed directives is with the buyer of the packaging material.

Guy Van de pol

Quality Manager Miko Pac NV

Date: 19/01/2018 Certificate of Conformance – p. 3 of 3



Color

MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ **POLAND**


TEL: + 48(0)52 32 05-900 FAX: +48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item TUB 5,0L NAPO PP WH CTN OWL

Itemn°

90100569



Dimension, weight

Dimensions (335 X 150 X 134) mm

Volume 5.000 ml

Weigth 99,6 g + /- 5%

Raw mat.

PP SP PPCO BH348MO Raw material

Food approved Yes

-20℃ - 100℃ **Temperature**

Sealable Yes

Process Injection moulding


Packaging details

Packaging Palet

PALLET FUME ISPM 15 -Palet type

1X1,2m

Pc / Carton 63 Box / Pallet 20 Pcs / Pallet 1260



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ **POLAND**

TEL: + 48(0)52 32 05-900 FAX: +48(0)52 32 05-902


info@mikopac.com www.mikopac.com

Item LID 5,0L NAPO PP WH UNLABELLED CTN Color


Itemn°

90100572

Cust.Ref



W sztaplu pokrywki należy układać "żeberkami" w jedną stronę!!!



Dimension, weight

Dimensions (340 X 155 X 9) mm

Volume 0.000

Weigth 41,0 g + /- 5%

Raw mat.

PP SP PPCO BH348MO Raw material

Food approved Yes

-20℃ - 100℃ **Temperature**

Sealable Yes

Process Injection moulding


Packaging details

Packaging Palet

PALLET 1W 800x1200 MM Palet type

NEW

Pc / Carton 390 Box / Pallet 12 Pcs / Pallet 4680



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item KM TRAY 41 BK CMH CTN
Color BLACK

Itemn° Cust.Ref. 90100691



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 14,5 g + /- 5%

Raw mat.
Raw material

Food approved No Temperature \mathbb{C} - \mathbb{C} Sealable No

Process

Packaging details


Packaging Palet

Raw material PALLET 1W 1000x1200 NEW

 Pc / Carton
 558

 Box / Pallet
 25

 Pcs / Pallet
 13950



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

 Item
 1/4 GN 80 WH CMH 990 CTN
 Itemn°
 90100724

 Color
 WHITE
 Cust.Ref.
 90100724



Dimension, weight

Dimensions (264 X 161 X 80) mm

Volume 2.250 ml Weigth 40,0 g + /- 5%

Raw mat.

Raw material PP CO/MIN/HO 30/5/65

Food approved Yes

Temperature 5% - 100%

Sealable Yes

Process Thermoforming

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 200

 Box / Pallet
 16

 Pcs / Pallet
 3200



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

 Item
 1/4 GN 60 WH CMH 810 CTN
 Itemn°
 90100770

 Color
 WHITE
 Cust.Ref.
 90100770



Dimension, weight

Dimensions (264 X 161 X 60) mm

Volume 1.750 ml Weigth 32,0 g + /- 5%

Raw mat.

Raw material PP CO/MIN/HO 30/5/65

Food approved Yes

Temperature $5\mathbb{C} - 100\mathbb{C}$

Sealable Yes

Process Thermoforming

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 200

 Box / Pallet
 16

 Pcs / Pallet
 3200



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for.

Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

 Item
 1/6 GN 100 BK CMH 990 CTN
 Itemn°
 90102001

 Color
 BLACK
 Cust.Ref.
 90102001



Dimension, weight

Dimensions (176 X 162 X 100) mm

Volume 1.675 ml Weigth 26,0 g + /- 5%

Raw mat.

Raw material PP CO/MIN/HO 30/5/65

Food approved Yes

Temperature 5% - 100%

Sealable Yes

Process Thermoforming

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 300

 Box / Pallet
 16

 Pcs / Pallet
 4800



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for.

Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item MAP 227X178X50 FL 1C TR RH 1000 CTN Color Transparant

Itemn° 90102617 Cust.Ref. 90102617



KARTONY NA PALECIE NALEŻY DODATKOWO ZABEZPIECZYĆ TAŚMĄ



Dimension, weight

Dimensions (227 X 178 X 50) mm

Volume 1.400 ml Weigth 35,0 g + /- 5%

Raw mat.

Raw material PP RANDOM/HO 60/40 (

Food approved Yes

Temperature $5 \text{ }^{\circ}\text{C} - 100 \text{ }^{\circ}\text{C}$

Sealable Yes

Process Thermoforming

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 324

 Box / Pallet
 32

 Pcs / Pallet
 10368



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item MAP 227x178X50 FL 1C TR RH 1000 MBR(2)
Color Transparant

Itemn° 90102618 Cust.Ref. 90102618



NA KAŻDEJ WARSTWIE
OBA SZTAPLE TACEK
UKŁADAMY
ZWRÓCONE DO SIEBIE
SPODEM; POJEMNIKI
W SZTAPLACH NIE
MOGĄ SIĘ
ROZWARSTWIAĆ

w środku umieszczamy niebieski worek od metalboxu

Dimension, weight

Dimensions (227 X 178 X 50) mm

Volume 1.400 ml Weigth 35,0 g + /- 5%

Raw mat.

Raw material PP RANDOM/HO 60/40 (

Food approved Yes

Temperature $5\mathbb{C} - 100\mathbb{C}$

Sealable Yes

Process Thermoforming

Packaging details


Packaging Palet

Raw material

 Pc / Carton
 4104

 Box / Pallet
 2

 Pcs / Pallet
 8208



METALBOXY OWIJAMY FOLIĄ NA OWIJARCE

МЕТАЛБОКСИ ОБМОТУЕМО ПЛІВКОЮ НА ОВІЯРЦІ



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for.

Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND


TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item TUB 1,0L TOSC WH UNLABELLED CTN Color WHITE

Itemn° Cust.Ref. 90102911

90102911



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 31,4 g + /- 5%

Raw mat.

Raw material PP SP PPCO BH345MO

Food approved Yes

Temperature -20℃ - 100℃

Sealable Yes

Process Injection moulding

Packaging details

Packaging Palet


Palet type PALLET FUME ISPM 15 -

1X1,2m

 Pc / Carton
 294

 Box / Pallet
 20

 Pcs / Pallet
 5880



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



Color

MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ **POLAND**


TEL: + 48(0)52 32 05-900 FAX: +48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item TUB 1,0L TOSC TR UNLABELLED CTN Itemn°

90102913

Cust.Ref



Dimension, weight

Dimensions () mm Volume 0.000

Weigth 31,4 g + /- 5%

Raw mat. Raw material

Food approved No \mathcal{C} - \mathcal{C} **Temperature** Sealable No


Process

Packaging details

Packaging Palet

PALLET 1W 1000x1200 NEW Raw material

Pc / Carton 294 Box / Pallet 20 Pcs / Pallet 5880



The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902


info@mikopac.com www.mikopac.com

Item LID 1,0L TOSC PP TR UNLABELLED CTN Color Transparant

Itemn°

90102942

Cust.Ref.



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 14,5 g + /- 5%

Raw mat.

Raw material

Process

Packaging details


Packaging Palet

Raw material PALLET 1W 1000x1200 NEW

 Pc / Carton
 1068

 Box / Pallet
 25

 Pcs / Pallet
 26700



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



Color

MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902


info@mikopac.com www.mikopac.com

Item MAP 227X178X32 FL 3C BK CMH 700 CTN

Itemn°

90103354

Cust.Ref.



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 27,0 g + /- 5%

Raw mat.

Raw material

Process

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



Color

MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902


info@mikopac.com www.mikopac.com

Item MAP PP 227X178X32 FL 2C BK 700 CTN

Itemn°

90103355

Cust.Ref.



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 27,0 g + /- 5%

Raw mat.

Raw material

Food approved No Temperature \mathbb{C} - \mathbb{C} Sealable No

Process

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item MAP 227X178X40 FL 1C BK CMH 810 CTN Color BLACK

Itemn° 90103357 Cust.Ref. 90103357



Dimension, weight

Dimensions (227 X 178 X 40) mm

Volume 1.350 ml Weigth 31,0 g + /- 5%

Raw mat.

Raw material PP CO/MIN/HO 30/5/65

Food approved Yes

Temperature $5 \text{ }^{\circ}\text{C} - 100 \text{ }^{\circ}\text{C}$

Sealable Yes

Process Thermoforming

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

 Item
 MAP 227X178X50 FL 1C CMH BK 810 CTN
 Itemn°
 90103358

 Color
 BLACK
 Cust.Ref.
 90103358



Dimension, weight

Dimensions (227 X 178 X 50) mm

Volume 1.400 ml Weigth 31,0 g + /- 5%

Raw mat.

Raw material PP CO/MIN/HO 30/5/65

Food approved Yes

Temperature 5℃ - 100℃

Sealable Yes

Process Thermoforming

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ **POLAND**

TEL: + 48(0)52 32 05-900 FAX: +48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item MAP PP 227X178X32 FL 1C BK CMH 700 CTN Itemn° 90103359 Color Transparant

Cust.Ref



Dimension, weight

Dimensions () mm Volume 0.000

Weigth 27,0 g + /- 5%

Raw mat. Raw material

Food approved No \mathcal{C} - \mathcal{C} **Temperature** Sealable No

Process


Packaging details

Packaging Palet

PALLET EURO 800x1200 Palet type

NEW

Pc / Carton 360 Box / Pallet 32 Pcs / Pallet 11520



The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



Transparant

Color

MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902


info@mikopac.com www.mikopac.com

Item MAP 227X178X40 FL 2C BK CMH 810 CTN

Itemn°

90103363

Cust.Ref.



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 31,0 g + /- 5%

Raw mat.
Raw material

Process

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item MAP PP 227X178X40 FL 3C CMH BK 810 CTN Itemn° 90103364

Color Transparant Cust.Ref



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 31,0 g + /- 5%

Raw mat.
Raw material

Process

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

 Item
 MAP 227X178X50 FL 2C BK CMH 810 CTN
 Itemn°
 90103365

 Color
 BLACK
 Cust.Ref.
 90103365



Dimension, weight

Dimensions (227 X 178 X 50) mm

Volume 1.400 ml Weigth 31,0 g + /- 5%

Raw mat.

Raw material PP CO/MIN/HO 30/5/65

Food approved Yes

Temperature 5℃ - 100℃

Sealable Yes

Process Thermoforming

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.



MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902


info@mikopac.com www.mikopac.com

Item MAP 227X178X50 FL 3C BK CMH 810 CTN Color Transparant

Itemn°

90103366

Cust.Ref.



Dimension, weight

Dimensions () mm **Volume** 0,000

Weigth 31,0 g + /- 5%

Raw mat.
Raw material

Food approved No Temperature \mathbb{C} - \mathbb{C} Sealable No

Process

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 360

 Box / Pallet
 32

 Pcs / Pallet
 11520



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

Item TUB 2,5L NAPO WH CTN OWS Color WHITE

Itemn° Cust.Ref. 90103710 90103710



Dimension, weight

Dimensions (172 X 149 X 142) mm

Volume 2.500 ml

Weigth 62,4 g + /- 5%

Raw mat.

Raw material PP SP PPCO BH348MO

Food approved Yes

Temperature -20℃ - 100℃

Sealable Yes

Process Injection moulding

Packaging details

Packaging Palet


Palet type PALLET 1W 800x1200 MM

NEW

 Pc / Carton
 168

 Box / Pallet
 16

 Pcs / Pallet
 2688



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

ItemLID 2,5L NAPO WH CTN OWSItemn°90103720ColorWHITECust.Ref.90103720



Dimension, weight

Dimensions (169 X 145 X 6) mm

Volume 0.000

Weigth 18,0 g + /- 5%

Raw mat.

Raw material PP SP PPCO BJ380MO

Food approved Yes

Temperature -20°C - 100°C

Sealable Yes

Process Injection moulding

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

 Pc / Carton
 960

 Box / Pallet
 20

 Pcs / Pallet
 19200



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.




MIKO PAC SP. Z O.O UL. DABROWA 21 85-147 BYDGOSZCZ POLAND

TEL: + 48(0)52 32 05-900 FAX: + 48(0)52 32 05-902

info@mikopac.com www.mikopac.com

 Item
 TRAY 221750 BK CTN
 Itemn°
 94101239

 Color
 BLACK
 Cust.Ref.
 94101239



WIDOK Z BOKU KARTONU

Dimension, weight

Dimensions (227 X 178 X 50) mm

Volume 1.450 ml Weigth 34,5 g + /- 5%

Raw mat.

Raw material PP SP PPCO PPC 12642

Food approved Yes

Temperature -20℃ - 100℃

Sealable Yes

Process Injection moulding

Packaging details

Packaging Palet


Palet type PALLET EURO 800x1200

NEW

Stackfillup / box 2 Pc / Carton 288 Box / Pallet 20

 Box / Pallet
 20

 Pcs / Pallet
 5760



Food contact declaration

The packaging materials are suitable for foods contact in conformance with the European Directive EC/10/2011 and amendments

The reliability of the data is based upon the actual knowledge of Mikopac n.v. It remains the responsibility of the buyer to ascertain that the products, in all their aspects, are suitable for the applications what they will be used for. Mikopac n.v. cannot be hold responsible for the incorrect use of its products.